# Notes - JavaScript - ES Modules - Usage

Dr Nick Hayward

A collection of notes &c. on plain JavaScript modules, in particular usage of ES modules introduced with ES2015.

#### **Contents**

- Intro
- Export export statements
- Export export default
- Module bindings
- Export named export
- Export lists
- Export export from ...
- Import import statements
- Import import named exports
- Import import with wildcard
- Benefits & practical usage

#### Intro

- simpler and easier to work with than CommonJS
  - in most examples...
- JavaScript strict mode is enabled by default
- strict mode helps with language usage check for poor usage
  - stops hoisting of variables
  - o variables must be declared
  - function parameters must have unique name
  - assignment to read-only properties throws errors
  - o ...
- modules are exported with export statements
- modules are imported with import statements

### **Export - export statements**

- ES6 modules are individual files
  - expose an API using export statements
- declarations are scoped to the local module
- e.g. variables declared inside a module
  - o not available to other modules
  - need to be explicitly exported in module API
  - need to be imported for usage in another module
- export statements may only be added to top-level of a module
  - e.g. not in function expression \*&c.
- cannot dynamically define and expose API using methods

• unlike CommonJS module system - Node.js &c.

# Export - export default

• common option is to export a default binding, e.g.

```
export default `hello world`
```

```
export default {
    name: 'Alice',
    place: 'Wonderland'
}
```

```
export default [
    'Alice', 'Wonderland'
]
```

```
export default function name() {
    ...
}
```

# **Module bindings**

- ES modules export bindings
  - o not values or references
- e.g. an export of count variable from a module
  - o count is exported as a binding
  - export is bound to count variable in the module
  - value is subject to changes of **count** in module
- offers flexibility to exported API
  - e.g. count might originally be bound to an object
  - then changed to an array...
- other modules consuming this export
  - they would see change as count is modified
  - modified in module and exported...
- **n.b.** take care with this usage pattern
  - useful for counters, logs &c.
  - o can cause issues with API usage for a module

#### **Export - named export**

- we may define bindings for export
- instead of assigning properties to implicit export object
  - o e.g.

```
export let counter = 0
export const count = () => counter++
```

- cannot refactor this example for named export
  - syntax error will be thrown
  - o e.g.

```
let counter = 0
const count = () => counter++
export counter // this will return syntax error
export count
```

- rigid syntax helps with analysis, parsing
  - static analysis for ES modules

### **Export - lists**

- lists provide a useful solution to previous refactor issue
- syntax for list export easy to parse
- export lists of named *top-level* declarations
  - o variables &c.
- e.g.

```
let counter = 0
const count = () => counter++
export { counter, count }
```

• also rename binding for export, e.g.

```
let counter = 0
const count = () => counter++
export { counter, count as increment }
```

• define default with export list, e.g.

```
let counter = 0
const count = () => counter++
export { counter as default, count as increment }
```

# Export - export from ...

- expose another module's API using export from...
  - i.e. a kind of pass through...
- e.g.

```
export { increment } from './myCounter.js'
```

- bindings are not imported into module's local scope
- current module acts as conduit, passing bindings along export/import chain...
- module does not gain direct access to export from ... bindings
  - e.g. if we call increment it will throw a ReferenceError
- aliases are also possible for bindings with export from...
  - o e.g.

```
export { increment as addition } from './myCounter.js'
```

### Import - import statements

- use import to load another module
- import statement are only allowed in top level of module definition
  - same as export statements
  - helps compilers simplify module loading &c.
- import default exports
  - o give default export a name as it is imported
  - o e.g.

```
import counter from './myCounter.js'
```

- importing binding to counter
- syntax different from declaring a JS variable

# Import - import named exports

- also imported any named exports
  - import more than just default exports
- named import is wrapped in braces
  - o e.g.

```
import { increment } from './myCounter.js'
```

- also import multiple named exports
  - o e.g.

```
import { increment, decrement } from './myCounter.js'
```

- import aliases are also supported
  - o e.g.

```
import { increment as addition } from './myCounter.js'
```

- · combine default with named
  - o e.g.

```
import counter, { increment } from './myCounter.js'
```

# Import - import with wildcard

- we may also import using the wildcard operator
  - e.g.

```
import * as counter from './myCounter.js'
counter.increment()
```

- name for wildcard import acts like object for module
- call module exports on wildcard

```
import * as counter from './myCounter.js'
counter.increment()
```

• common pattern for working with libraries &c.

#### Benefits & practical usage

- offers ability to explicitly publish an API
  - keeps module content local unless explicitly exported
- similar function to getters and setters
  - explicit way in and out of modules
  - explicit options for reading and updating values...
- code becomes simpler to write and manage
  - module offers encapsulation of code

- import binding to variable, function &c.
  - then use it as normal...
- removes need for encapsulation in main JS code
  - e.g. with patterns such as IIFE...
- *n.b.* need to be careful how we use modules
  - e.g. priority for access, security, testing &c.
  - all now moved to individual modules...